

# MILOS 100



## SACRIFICIAL CUT AS STANDARD



Sacrificial Cut

The cylinder has a sacrificial cut, so when force is applied to either end, the cylinder will break away to the sacrificial cut line only, leaving the remaining cylinder operational and the locking mechanism intact.



Anti-Drill

## ANTI DRILL AS STANDARD

Hardened steel anti-drill pins are in each side of the cylinder. Plus all body pins are nickel plated hardened steel 50 HRC minimum



Anti-Pick

## ANTI PICK AS STANDARD

Minimum of 4 anti-pick pins in each side of the cylinder makes it extremely difficult for a common burglar to pick the cylinder.



Anti-Bump

## ANTI BUMP AVAILABLE

The cylinder has a unique and patented anti-bump system which does not use trap pins

## STANDARD

Conforms to EN1303:2015 with six pin unrestricted key section for ease of local key duplication

## RANGE

An extensive range of Euro profile offset sizes in both Double and Key&turn variant, Euro Half/single, Rim, Threaded, Scandinavian and a full range of padlocks

## FEATURES AVAILABLE

Classroom Function  
Clutch/Barricade Function  
DDA turn

## FINISH

Available in a range of finishes, Satin Nickel, Brass, Polished Chrome, Black.

# MILOS 100

Number of pin chambers	SIX PIN
Key Duplication	UNRESTRICTED KEY SECTION – CONVENIENCE FOR COPYING KEYS LOCALLY
BSI Kitemark	1 STAR
EN1303 Key Durability	6 (Highest Grading)
Cylinder range includes	Extensive Offset from 60mm up to 120mm RIM THREADED SCANDINAVIAN
Suiting capabilities	SUITABLE FOR SMALL TO MEDIUM SIZE PROJECTS



- Unrestricted key section
- 800,000 differs
- Six pin as standard
- Classroom function available
- Clutch/barricade function available

- Comprehensive range of offset sizes available
- Scandinavian, rim and threaded cylinders available
- Conforms to EN1303:2015
- Available in a range of finishes including, Satin Nickle, Brass, Polished Chrome, Black.